

Pre-Operative Diabetes Medication Management Instructions

Please follow the instructions listed below unless otherwise instructed by your surgeon

Medication Type	Day Before Surgery	Day of Surgery
ORAL ANTIDIABETIC AGENTS		
Metformin and metformin combination drugs alogliptin/metformin (Kazano) canagliflozin/metformin (Invokamet) dapagliflozin/metformin (Xigduo XR) empagliflozin/metformin (Synjardy) glipizide/metformin (Metaglip) glyburide/metformin (Glucovance) linagliptin/metformin (Jentaduetto) metformin (Glucophage, Riomet) pioglitazone/metformin (Actoplus Met) repaglinide/metformin (PrandiMet, Repaglin) sitagliptin/metformin (Janumet)	Hold Evening Dose	Hold the Dose
All other oral agents acarbose (Precose) alogliptin (Nesina) alogliptin/pioglitazone (Oseni) canagliflozin (Invokana) chlorpropamide (Diabinese) colesevelam (Welchol) dapagliflozin (Farxiga) dapagliflozin/saxagliptin (Qtern) empagliflozin (Jardiance) empagliflozin/linagliptin (Glyxambi) glimepiride (Amaryl) glimepiride/pioglitazone (Duetact) glimepiride/rosiglitazone (Avandaryl) glipizide (Glucotrol) glyburide (DiaBeta, Micronase) linagliptan (Tradjenta) miglitol (Glyset) nateglinide (Starlix) pioglitazone (Actos) repaglinide (Prandin) rosiglitazone (Avandia) saxagliptin (Onglyza) sitagliptin (Januvia) sitagliptin/simvastatin (Juvisync) tolazamide	No Change	Hold the Dose
NON-INSULIN INJECTABLE		
albiglutide (Tanzeum) dulaglutide (Trulicity) exenatide (Byetta, Bydureon) liraglutide (Victoza, Saxenda) pramlintide (Symlin)	No Change	Hold the Dose

Pre-Operative Diabetic Medication Management Instructions Island Hospital

Originator/Author: Lowry, Rhonda Registered Nurse Surgery Services
 Original: 09/21/2016; Approved: 02/06/2018; Reviewed: 02/06/2018

Printed copies are for reference only. Please refer to the electronic copy for the latest version

INSULIN		
Insulin Pump	No Change	Use 60-80% of usual basal dose
Long acting glargine (Lantus, Toujeo) detemir (Levemir) degludec (Tresiba)	No change	Use 60-80% of usual dose
Intermediate acting NPH (NovolinN, HumulinN)	No Change	Use 50% of usual dose
Mixed Insulins (NPH + Regular) Novolin 70/30 Humulin 70/30	No Change	Use 50% of usual dose
Mixed Insulins (NPH + Rapid) Novolog Mix 70/30 Humalog Mix 75/25 Humalog Mix 50/50	No Change	Use 50% of usual dose
Short Acting and Rapid Acting Regular (NovolinR, HumulinR)* lispro (Humalog) aspart (Novolog) glulisine (Apidra)	No Change	Hold the Dose, unless routinely used during fasting state

***If using U-500 Humulin, consult with your Endocrinologist for pre-operative recommendations. Inform your surgeon of any special instructions.**

**Pre-Operative Diabetic Medication Management Instructions
Island Hospital**

Originator/Author: Lowry, Rhonda Registered Nurse Surgery Services
Original: 09/21/2016; Approved: 02/06/2018; Reviewed: 02/06/2018

Printed copies are for reference only. Please refer to the electronic copy for the latest version